

Protocol list

Monolayer culture

- Use of standard disposable roller cultures 36
- Growing cells in a bead bed reactor 40
- Microcarrier culture 44

Suspension culture

- Adaptation to suspension culture 49
- Spinner flask culture 52
- Growth of cells in continuous-flow culture 57

Immobilized cultures

- MiniPERM Bioreactor^a 60
- Fixed porous bead (Siran) bed reactor 63

Cell freezing and quantitation of recovery

- Culture preparation and freezing procedure 73
- Recovery of cultures frozen in glass ampoules 74
- The dye exclusion test 75
- Estimation of colony-forming efficiency 76
- Measuring vitality of reconstituted cells 77

Cell line authentication

- Karyological procedure 80
- Microscopic examination 81
- Culture tests 82
- Testing a culture for the presence of mycoplasma 83
- Indirect test for mycoplasma 85
- Examining a culture for morphological evidence of viral contamination 87
- Preparation of double-stranded DNA templates for amplification 89
- PCR amplification reaction for HIV 90
- PCR amplification reaction for HBV 90
- Gel electrophoresis 91
- Electrophoretic transblotting 91
- Labelling oligonucleotides 92
- Pre-hybridization and hybridization 92
- Chemiluminescent detection 92
- Cell identification by Giemsa banding 94
- Preparation of genomic DNA from cell lines 98

PROTOCOL LIST

- Preparation of genomic DNA from cell lines using FTA™ paper 99
- PCR amplification and STR typing of cell lines 100

Antimicrobials, phenol red, Hepes, and light

- Procedure for medium component toxicity testing 116

Fatty acids

- Complexing fatty acids to albumin 119

Multicellular tumour spheroids (MCTS)

- Initiation and cultivation of tumour spheroids in spinner flasks 128
- Coating of 96-well plates or culture dishes with agarose 130
- Cultivation of liquid-overlay tumour spheroid cultures in 96-well plates 131
- Co-cultivation of MCTS and monocytes in liquid-overlay culture 134
- Co-cultivation of MCTS and fibroblast aggregates in liquid-overlay culture 135
- Co-cultivation of MCTS and endothelial cells 137
- Co-cultivation of MCTS and endothelial cells on basal membrane 138

Experimental tissue modelling

- Isolation and cultivation of different cell populations from oral mucosa 141

Tissue Engineering

- Human dermal fibroblast (hDF) seeding within collagen sponges 163
- Human dermal fibroblast (hDF) seeding within collagen lattices 164
- Urothelial cell seeding on collagen sponges (30) 165
- Phenytoin release from fibronectin mats 165
- Slow release growth factor depot formation 167

Technical protocols for cytotoxicity and viability assays

- Monolayer cloning 195
- Clonogenicity in soft agar using a double layer agar system 196
- Spheroid incubation 198
- Volume growth delay 199
- Clonogenic growth of disaggregated spheroids 199
- Outgrowth as cell monolayer from intact spheroids 200
- Preparation of microtitration plates 201
- Protein determination of cell monolayers using methylene blue (59, 60) 202
- Protein determination of cell monolayers using sulforhodamine B (SRB) (61, 62) 202
- Protein determination of cell monolayers using Kenacid blue (63, 101) 203
- Determination of amino acid incorporation into cell monolayers (39, 86) 204
- Incorporation of [³H]nucleotides into DNA/RNA 205
- Total DNA synthesis measured by [¹²⁵I]Udr uptake (52) 205
- Measurement of viable cell number using neutral red 206
- Measurement of viable cell number using MTT (80) 207
- Measurement of viable fresh human tumour and normal cell cytotoxicity by differential staining cytotoxicity (DiSC) assay^a 207
- Measurement of intracellular ATP using luminescence (83 and personal communication) 209
- Measurement of viable cell number using XTT (81, 82) 210

FISH Probes

- Probe labelling 223
- Probe precipitation 223

- Chromosome preparation from lymphocytes 224
- Chromosome preparation from cell lines 225
- Fluorescence *in situ* hybridization: chromosome preparation 226
- Target denaturation 226
- Probe denaturation 227
- Wash steps 227

FISH Probe detection

- Avidin detection for biotinylated probes (FITC) 229
- Digoxigenin antibody detection (FITC) 229
- Probe detection using avidin and antibodies for two colours (FITC/Texas Red) 230
- Two colour antibody detection 231

Transfection

- Transfection by calcium phosphate–DNA co-precipitation 238
- Optimization of conditions for lipofection 240
- Determination of the best capacitance setting for electroporation of a particular mammalian cell type 242
- Staining of cells for β -galactosidase expression 243
- Plasmid rescue from cells transfected with EBV-based shuttle vectors 244

Microcell-mediated chromosome transfer

- Preparation of microcells 248
- Fusion of microcells with recipient cells and selection for microcell hybrid clones 252

Irradiation fusion gene transfer

- Irradiation fusion gene transfer^a 255

Assessment of proliferative heterogeneity

- Determination of proliferative heterogeneity and colony-forming efficiency (CFE) 263
- Cloning of epithelial colonies 264

Methods for the separation of different cell populations

- Preparation of extracellular matrix coated dishes 267
- Preparation of epithelial cell extracellular matrix coated dishes 268
- Adhesion of rapidly attaching cells to extracellular matrix (ECM) proteins 268
- Positive cell sorting with immunolabelled magnetic beads 271

Stem cell characterization by immunocytochemistry

- Preparation of cells for use in immunocytochemistry: cytospin cell preparation system 277

Simple measures of the population dynamics of primary cultures

- Cleaning of coverslips for cell culture 283
- Labelling using 5-bromo-2'-deoxyuridine (BrdU) 284
- Detection of total growth fraction using antisera to pKi-67 286
- Determination of viable and necrotic fractions using calcein AM–ethidium bromide staining 288
- Demonstration of senescent cells by senescence-associated β -galactosidase (SA- β) activity 289
- Demonstration of apoptotic cells by TdT-mediated dUTP nick end-labelling (TUNEL) 290

PROTOCOL LIST

Other techniques for analysing population dynamics

- Analysis of DNA fragmentation 292
- Inhibition of caspase activity by peptide inhibitors 294
- Simplified haptotactic analysis 295
- Demonstration of telomerase activity by TRAP 297
- Determination of terminal restriction fragment (TRF) length by in-gel hybridization 299