

## Contents

---

<b>1</b>	<b>X-ray wave-fields in free space</b>	<b>1</b>
1.1	Vacuum wave equations for electromagnetic fields	2
1.2	Spectral decomposition and the analytic signal	5
1.3	Angular spectrum of plane waves	6
1.4	Fresnel diffraction	10
1.4.1	Operator formulation	11
1.4.2	Convolution formulation	12
1.5	Fraunhofer diffraction	16
1.6	Kirchhoff and Rayleigh–Sommerfeld diffraction theory	18
1.6.1	Kirchhoff diffraction integral	18
1.6.2	Rayleigh–Sommerfeld diffraction integrals	23
1.7	Partially coherent fields	26
1.7.1	Random variables and random processes	26
1.7.2	Intermediate states of coherence	29
1.7.3	Spatial coherence	30
1.7.4	Temporal coherence	36
1.8	The mutual coherence function	37
1.9	Propagation of two-point correlation functions	46
1.9.1	Vacuum wave equations	47
1.9.2	Operator formulation	50
1.9.3	Green function formulation	53
1.9.4	Van Cittert–Zernike theorem	58
1.10	Higher-order correlation functions	59
1.11	Summary	60
<b>2</b>	<b>X-ray interactions with matter</b>	<b>64</b>
2.1	Wave equations in the presence of scatterers	65
2.2	The projection approximation	71
2.3	Point scatterers and the outgoing Green function	77
2.3.1	First method for obtaining Green function	79
2.3.2	Second method for obtaining Green function	80
2.4	Integral-equation formulation of scattering	83
2.5	First Born approximation for kinematical scattering	84
2.5.1	Fraunhofer and first Born approximations	86
2.5.2	Angular spectrum and first Born approximation	89
2.5.3	The Ewald sphere	90
2.6	Born series and dynamical scattering	97
2.7	Multislice approximation	99
2.8	Eikonal approximation and geometrical optics	101

2.9	Scattering, refractive index, and electron density	108
2.10	Inelastic scattering and absorption	115
2.10.1	Compton scattering	115
2.10.2	Photoelectric absorption and fluorescence	119
2.11	Information content of scattered fields	122
2.11.1	Scattered monochromatic fields	122
2.11.2	Scattered polychromatic fields	127
2.12	Summary	130
<b>3</b>	<b>X-ray sources, optical elements, and detectors</b>	<b>136</b>
3.1	Sources	137
3.1.1	Brightness and emittance	137
3.1.2	Fixed-anode and rotating-anode sources	138
3.1.3	Synchrotron sources	139
3.1.4	Free-electron lasers	145
3.1.5	Energy-recovering linear accelerators	149
3.1.6	Soft X-ray lasers	151
3.2	Diffractive optical elements	152
3.2.1	Diffraction gratings	152
3.2.2	Fresnel zone plates	160
3.2.3	Analyser crystals	169
3.2.4	Crystal monochromators	176
3.2.5	Crystal beam-splitters and interferometers	178
3.2.6	Bragg-Fresnel crystal optics	183
3.2.7	Free space	185
3.3	Reflective optical elements	186
3.3.1	X-ray reflection from surfaces	186
3.3.2	Capillary optics	191
3.3.3	Square-channel arrays	192
3.3.4	X-ray mirrors	193
3.4	Refractive optical elements	195
3.4.1	Prisms	195
3.4.2	Compound refractive lenses	198
3.5	Virtual optical elements	203
3.6	X-ray detectors	205
3.6.1	Critical detector parameters	205
3.6.2	Types of X-ray detector	208
3.6.3	Detectors and coherence	212
3.7	Summary	216
<b>4</b>	<b>Coherent X-ray imaging</b>	<b>228</b>
4.1	Operator theory of imaging	230
4.1.1	Imaging using coherent fields	230
4.1.2	Imaging using partially coherent fields	237
4.1.3	Cascaded systems	238

4.2	Self imaging	240
4.2.1	Talbot effect for monochromatic fields	242
4.2.2	Talbot effect for polychromatic fields	246
4.2.3	Montgomery effect for monochromatic fields	249
4.2.4	Montgomery effect for polychromatic fields	253
4.3	Holography	254
4.3.1	In-line holography	254
4.3.2	Off-axis holography	258
4.3.3	Fourier holography	258
4.4	Phase contrast	261
4.4.1	Zernike phase contrast	263
4.4.2	Differential interference contrast	268
4.4.3	Analyser-based phase contrast	270
4.4.4	Propagation-based phase contrast	278
4.4.5	Hybrid phase contrast	284
4.5	Phase retrieval	289
4.5.1	Gerchberg–Saxton algorithm and extensions	291
4.5.2	The transport-of-intensity equation	295
4.5.3	One-dimensional phase retrieval	301
4.6	Interferometry	310
4.6.1	Bonse–Hart interferometer	311
4.6.2	Young interferometer	315
4.6.3	Intensity interferometer	318
4.6.4	Other means for coherence measurement	321
4.7	Virtual optics for coherent X-ray imaging	322
4.7.1	General remarks on virtual optics	322
4.7.2	Example of virtual optics	324
4.8	Summary	327
<b>5</b>	<b>Singular X-ray optics</b>	<b>341</b>
5.1	Vortices in complex scalar fields	342
5.2	Nodal lines	342
5.3	Nodal lines are vortex cores	346
5.4	Polynomial vortex solutions to d’Alembert equation	347
5.5	Vortex dynamics	351
5.5.1	Vortex nucleation and annihilation	351
5.5.2	Stability with respect to perturbations	353
5.5.3	Vortex interaction with a background field	354
5.6	Means of generating wave-field vortices	357
5.6.1	Interference of three coherent plane waves	357
5.6.2	Synthetic holograms	363
5.6.3	Spiral phase masks	370
5.6.4	Spontaneous vortex formation	373
5.7	Domain walls and other topological phase defects	380

5.8	Caustics and the singularity hierarchy	382
5.9	Summary	387
<b>A</b>	<b>Review of Fourier analysis</b>	<b>393</b>
A.1	Fourier transforms in one and two dimensions	393
A.2	Convolution theorem	394
A.3	Fourier shift theorem	395
A.4	Fourier derivative theorem	395
A.5	Sifting property of Dirac delta	396
<b>B</b>	<b>Fresnel scaling theorem</b>	<b>397</b>
<b>C</b>	<b>Reciprocity theorem for monochromatic scalar fields</b>	<b>401</b>
	<b>Index</b>	<b>405</b>

## Index

---

- aberration, 235–237, 262
- absorption, 115–122, 145
- absorption edge, 119–122
- Airy rings, 382, 385
- Ampère’s Law, 2–3, 65
- analyser based phase contrast, 270–278
- analyser crystal, 169–176
  - asymmetric reflection, 175
  - Bragg analyser, 176
  - Bragg angle, 172n
  - Bragg geometry, 176
  - Bragg Law, 172–173, 175–176
  - crystal planes, 171–172, 174
  - definition, 169
  - dispersion surface, 174
  - dynamical diffraction in, 174–175
  - Ewald sphere, 90–96, 174
  - Laue analyser, 176
  - Laue geometry, 176
  - reflectivity, 176
  - rocking curve, 175–176, 274
  - symmetric reflection, 175
  - three-dimensional grating, 169, 171
- analytic extension, 126n
- analytic function, 5, 303
- analytic signal, 5–6, 69
- angular spectrum, 6–10
- annihilation of vortices, 351–352
- anomalous dispersion, 168n
- anomalous transmission, 179–182
- astigmatism, 237
- asymmetric reflection, 175
- atomic orbital, 120
- attenuation coefficient
  - Beer’s Law 74–75, 145
  - from complex refractive index, 74–75
  - underlying physics, 120–122
- Auger electron, 122
- back-projection algorithm, 124
- band-limited function, 305
- Bates’ ambiguities, 309–310
- Bayesian methods, 290–291
- beam, 72
  - synchrotron, 140, 141
- beamline, 144–145
- beam splitter
  - crystal, 178–183
  - grating, 157
- beam steering, 192
- beating, 127, 248
- Beer’s Law, 74–75
- bending magnet, 141–142
- Bessel beam, 252
- betatron, 141
- binding energy, electron, 120–121
- blazed grating, 160
- blazed zone plate, 166
- Bloch waves, 180
- Bohr–Sommerfeld rule, 344n
- Bonse–Hart interferometer
  - application, 311–316
  - principles, 181–183, 197
- Born approximation, 98–99
  - see also* first Born approximation
- Born series, 98–99
- Borrmann effect, 179–182
- Bragg analyser, 176
- Bragg angle, 172n
- Bragg geometry, 176
- Bragg–Fresnel optic, 183–185
- Bragg Law, 172–173, 175–176
- braking radiation, 138
- bremsstrahlung, 138
- bright-field imaging system, 281n
- brightness, spectral, 137
- bunch, electron, 141, 150
- capillary optics, 191–192
- carrier fringes, 197
- cascaded imaging system, 238–240
- catastrophe theory, 383–384
- Cauchy–Goursat theorem, 304
- Cauchy integral formula, 304
- Cauchy principal value, 307–308
- caustic hierarchy, 383–384
- caustic, 382–387
- caustic–vortex duality, 387
- CCD, 209–211
- central-slice theorem, 124–125
- characteristic line, 138
- charge-coupled device, 209–211
- circular dichroism, 261
- circular diffraction grating, 160–161
- circulation, 344
- coherence time, 36–37

- coherent aberration, 236
- coherent imaging system, 230–237
- coherent scattering, 115
- coma, 237
- complex analytic signal, 5–6, 69
- complex refractive index, 73
- complex scalar electromagnetic field, 4–5
- compound refractive lens, 198–202
- Compton effect, 115–120
- Compton formula, 118
- computed tomography, 124, 127n
- concentrator, 191
- contact image, 377n
- continuity equation, 108, 350
- control parameter, 230
- convolution, 394
- convolution theorem, 394
- Coolidge tube, 139
- correlation function
  - see* higher-order correlation
  - see* mutual coherence function
  - see* mutual intensity
- cosmic X-ray, 116n
- counting detector, 208, 210–211
- critical angle, 189–191
- critical-point explosion, 354
- critical wavelength, 140n
- Crookes tube, 139
- cross-spectral density, 49
  - differential equations for, 49
  - diffraction theory
    - convolution form, 54–56
    - operator form, 50–53
- crystal analyser, *see* analyser crystal
- crystal based phase contrast, 270–278
- crystal beam splitter, 178–183
- crystal diffraction, 93–97
- crystal monochromator, 176–178
  - double-bounce, 177
  - harmonic contamination, 178
  - heat load, 177–178
- crystal planes, 171–172, 174
- current vector, vortices, 350
- curve, simple closed, 304n, 343
- cusp caustic, 384–385
- cutoff wavelength, 138
  
- de Broglie relation, 118
- decay of vortices, 353–354
- defocus, 237
- deformable mirror, 193
- derivative theorem, 395–396
- detective quantum efficiency, 207
- detectors, 205–216
  - CCD, 209–211
  - and coherence, 212–216
  - counting, 208, 210–211
  - critical parameters, 205–208
  - detective quantum efficiency, 207
  - dynamic range, 208
  - film, 209
  - gas, 210–211
  - image plate, 209
  - integrating, 208–210
  - integrating versus counting, 211–212
  - multi-wire proportional, 210–211
  - noise, 207–208
  - pixel detectors, 211
  - proportional counter, 210
  - quantum efficiency, 207
  - scintillator, 211
  - spatial resolution, 205–206
  - spectral resolution, 207
  - temporal resolution, 206–207
- DIC, 268–270
- differential interference contrast, 268–270
- differential phase contrast, 268–270
- diffraction
  - inverse, 10
  - numerical calculation, 10, 16
  - operator, 6–12
  - see also* angular spectrum
  - see also* dynamical diffraction
  - see also* Fraunhofer diffraction
  - see also* Fresnel diffraction
  - see also* kinematical diffraction
  - see also* Kirchhoff diffraction
  - see also* Rayleigh–Sommerfeld theory
- diffraction-free beam, 250–252
- diffraction grating, 152–160
  - beam splitter, 157
  - blazed, 160
  - efficiency, 158–160
  - phase grating, 159
  - spectrometer, 157–158
  - see also* Fresnel zone plate
- diffraction spots, 96–97
- diffraction tomography, 126–127
- Dirac delta, 393, 396
- Dirichlet Green function, 23–24
- dispersion relation, logarithmic, 309
- dispersion surface, 174
- domain wall, 380–382
- double-bounce monochromator, 177
- dynamical diffraction
  - Born series, 98–99
  - Borrmann effect, 180
  - perfect crystals, 174–175
  
- efficiency
  - diffraction grating, 158–160
  - Fresnel zone plate, 165–166

- eikonal approximation, 101–108
- eikonal equation, 104
- electrical permittivity, 66
- electron bunch, 141, 150
- electron density
  - relation to refractive index, 108–114
- electric displacement, 65–66
- electron binding energy, 120–121
- elliptic umbilic caustic, 384
- emittance, 137
- energy–momentum–mass relation, 117
- energy-recovering linac, 149–151
- entire function, 303
- ergodicity, 29
- ERL, 149–151
- error-reduction algorithm, 293–294
- evanescent wave, 8n, 10
- Ewald nest, 130–121
- Ewald sphere, 90, 91–97
- EXAFS, 122
  
- Faraday’s Law, 2–3, 65
- far field, *see* Fraunhofer diffraction
- far zone, *see* Fraunhofer diffraction
- ferroelectric material, 66n
- ferromagnetic material, 66n
- Fermat’s principle, 186–188
- film, 209
- finite support, 293
- first Born approximation, 84–86
  - and angular spectrum, 89–90
  - and Ewald sphere, 90–97
  - and Fraunhofer diffraction, 86–89
  - scattering from crystals, 93–98, 170
- first generation synchrotron, 141
- fixed-anode X-ray source, 138–139
- fluorescence, 121–122, 138
- fold caustic, 384
- Fourier analysis, 393–396
  - central-slice theorem, 124–125
  - convolution, 394
  - convolution theorem, 394
  - derivative theorem, 395–396
  - Dirac delta, 393, 396
  - Fourier transforms, 393–394
  - shift theorem, 395
- Fourier holography, 258–261
- Fourier images, 242
- Fourier integral operator, 300
- Fourier-transform method, 311–312
- Fraunhofer diffraction, 16–18
- free-electron laser, 145–149, 150
- free space propagation
  - as low-pass filter, 123
  - as optical element, 185–186
  - see also* angular spectrum
- see also* Fraunhofer diffraction
- see also* Fresnel diffraction
- see also* Kirchhoff diffraction
- see also* Rayleigh–Sommerfeld theory
- Fresnel diffraction, 10–16
  - convolution formulation, 12–16
  - Fresnel propagator, 13–15
  - operator formulation, 11–12
  - transfer function, 236
- Fresnel integrals, 14, 112n
- Fresnel lens, 166n
- Fresnel number, 17, 325, 370
- Fresnel scaling theorem, 397–400
- Fresnel zone plate, 160–169
  - achromatic, 166–168
  - blazed, 166
  - Bragg–Fresnel optic, 183–185
  - circular diffraction grating, 160–161
  - efficiency, 165–166
  - focal-plane intensity, tailored, 169
  - Fresnel lens, 166n
  - Fresnel zones, 165n
  - holographic diffraction grating, 161–165
  - kinoform, 166
  - multi-level, 166–167
  - photon sieve, 169
  - Rayleigh–Wood, 165–166
- Fresnel zones, 165n
- fringe visibility, 34, 317–318
  - and mutual coherence function, 44
  
- Gabor holography, 254–257
- gas detector, 210–211
- Gaussian moment theorem, 319n
- Gauss’ Law, 2–3, 65
- generalized solution, 290
- generations of synchrotron source
  - first generation, 141
  - second generation, 141–142
  - third generation, 142–145
- geometrical optics, 101–108
- geometric theory of diffraction, 382n
- Gerchberg–Saxton algorithm, 291–293
- grating, diffraction, 152–160
  - beam splitter, 157
  - blazed, 160
  - efficiency, 158–160
  - phase grating, 159
  - spectrometer, 157–158
  - see also* Fresnel zone plate
- Green function
  - for Helmholtz equation
    - Dirichlet, 23–24
    - incoming/advanced, 55, 83
    - Neumann, 25
    - outgoing/retarded, 19–20, 55, 77–83

- for imaging system, 231–234, 238
  - related to point scatterer, 77–83
  - used in scattering theory, 83–85
- Green operator, 98
- Green's theorem, 19
- Hanbury Brown–Twiss effect, 60, 318–321
- harmonic contamination, 178
- helical phase, 346–347
- Helmholtz equation
  - in free space, 6
  - and Kirchhoff diffraction, 18
  - in variable refractive index, 70
- Helmholtz–Kirchhoff integral theorem
  - see* Kirchhoff diffraction
- hidden-variable theory, 106n–107n
- higher-order correlation, 59–60, 318–321
- hierarchy
  - caustic, 383–384
  - length scale, 386–387
  - singularity, 386
- Hilbert transform, logarithmic, 308
- Hittorf tube, 139
- holography, 254–261
  - Fourier, 258–261
  - inline, 254–257
  - off axis, 258
  - twin image problem, 257
- Huygens–Fresnel principle, 10
- hybrid input–output algorithm, 293–295
- hybrid phase contrast, 284–288
- hydrogenic wave function, 344n
- hyperbolic umbilic caustic, 384
- ill posed inverse problem, 290
- image plate, 209
- imaging system
  - aberrated, 235–237
  - bright field, 281n
  - cascaded, 238–240
  - coherent, 230–237
  - impulse response, 232–233
  - interferometric, 311–315
  - operator theory of imaging, 230–240
  - partially coherent, 237–238
  - point spread function, 232–233
  - shift invariant, 233–237
  - transfer function, 234–237
- impulse response, 232–233
- incoherent aberrations, 236
- incoherent scattering, 115–122
- inelastic scattering, 115–122
- information channel, 128
- information content
  - scattered fields, 122–130
  - monochromatic, 122–127
  - polychromatic, 127–130
- 'inhomogeneous' Helmholtz equation, 70
- inhomogeneous plane wave
  - see* evanescent wave
- inline holography, 254–257
- insertion devices, 142
- integral equation, scattering, 83–85
- integrating detector, 208–210
- intensity interferometry, 60, 318–321
- interferogram analysis
  - Fourier-transform method, 311–312
  - phase-shifting method, 312–315
- interferometer
  - Bonse–Hart, 181–183, 197, 311–316
  - fringe visibility, 34
  - separated-path, 181
  - see also* Young's experiment
  - see also* Michelson interferometer
- interstitials, crystal, 93
- inverse Compton scattering, 116n, 121
- inverse diffraction, 10
- inverse problem, 289–290
- Kapitza–Dirac effect, 148n
- kinematical diffraction
  - for scattering from crystals, 92–97, 170
  - see also* first Born approximation
- kinofom grating, 166
- Kirchhoff diffraction, 18–22
  - Helmholtz–Kirchhoff theorem 18–21
  - Kirchhoff approximation, 22n
  - Kirchhoff diffraction formula, 22
- Kirkpatrick–Baez mirror, 193
- Klein–Nishina formula, 119
- Kumakhov lens, 192
- laser, 146–147, 151–152
- Laue analyser, 176
- Laue back-reflection method, 126n
- Laue diffraction condition, 96, 170
  - and Bragg Law, 172
  - and harmonic contamination, 178
- Laue geometry, 176
- Lenard tube, 139
- lens, refractive, 198–202
- light
  - quantum of, 115
  - speed of, in terms of  $\mu_0$  and  $\epsilon_0$ , 4
- limiting Ewald sphere, 92, 126–127
- linear attenuation coefficient
  - Beer's Law 74, 145
  - from complex refractive index, 73–74
  - underlying physics, 119–122
- linear coherent imaging system, 231–237
- linear shift-invariant system, 233–237
- lines of nothingness, 345

- lithography, 284n
- lobster-eye optic, 192–193
- logarithmic dispersion relation, 309
- logarithmic Hilbert transform, 308
- Lorentz force, 141
- low-pass filter, free-space propagator, 123
  
- magnetic circular dichroism, 261
- magnetic induction, 65–66
- magnetic monopole, 3, 65
- magnetic permeability, 66
- magnetic scattering, 68n
- maximum entropy principle, 290–291
- Maxwell equations, 2, 65
- method of images, 23–24
- Michelson fringe visibility, 34
- Michelson interferometer, 36–37
- microbunching, 148
- microfocus source, 139
- mirror, 193–195
  - deformable, 193
  - figure, 194
  - Kirkpatrick–Baez, 193
  - multi-layer, 194–195
  - Schwarzschild, 193
  - Wolter, 193
- mono-capillary optic, 191–192
- monochromator, 176–178
  - double-bounce, 177
  - harmonic contamination, 178
  - heat load, 177–178
- monopole, magnetic, 3, 65
- Montgomery self imaging, 241, 249–253
- multi-layer mirror, 194–195
- multislice approximation, 99–101
- multi-wire proportional counter, 210–211
- mutual coherence function, 37–46
  - differential equations for, 48
  - diffraction theory
    - convolution form, 56–57
    - operator form, 53
  - and fringe visibility, 44
  - as measure of X-ray coherence, 137
- mutual intensity, 45–46
  - differential equations for, 50
  - diffraction theory
    - convolution form, 57–59
    - operator form, 53
  - see also* van Cittert–Zernike theorem
  
- natural focusing, 384
- nest of Ewald spheres, 130
- network of caustics, 384
- network of nodal lines, 345–346
- Neumann Green function, 25
- NEXAFS, 122
  
- nodal lines, 342–347
- non-crystallographic phase problem, 293
- nucleation of vortices, 351–352
  
- off axis holography, 258
- one-dimensional phase retrieval, 301–310
- operator theory of imaging, 230–240
  - for cascaded systems, 238–240
  - for coherent fields, 230–237
  - for partially coherent fields, 237–238
- optical beams, 72
- optical pumping, 146–147, 151–152
- orbital, atomic, 120
  
- pair production, 115n, 121
- Paley–Wiener theorem, 305
- paraxial equation, 72
- paraxial wave-field, 10–11
- partially coherent fields 26–37
  - coherence measurement, 315–322
  - cross-spectral density, 49
  - mutual coherence function, 37–46
  - mutual intensity, 45–46
  - propagation of correlations, 46–59
  - spatial coherence, 30–36
  - temporal coherence, 36–37
- Pauli problem, 291–292
- permeability, magnetic, 66
- permittivity, electrical, 66
- phase contrast, 261–288, 323n
  - analyser based, 270–278
  - differential interference, 268–270
  - hybrid, 284–288
  - propagation based, 278–284, 377–380
  - Zernike, 263–267
- phase grating, 159
- phase problem, 289
- phase retrieval, 289–310
  - error-reduction algorithm, 293–294
  - Gerchberg–Saxton algorithm, 291–293
  - hybrid input–output, 293–295
  - one dimensional, 301–310
  - Pauli problem, 291–292
  - transport-of-intensity, 295–301
- phase-shifting method, 312–315
- phase-stepping method, 312–315
- photoelectric absorption, 119–122, 145
- photon, 115
- photon sieve, 169
- photonuclear absorption, 115n, 121
- pixel detector, 211
- plane wave, 7–8, 9
  - solution to Helmholtz equation, 7–8
- point caustic, 382
- point projection, 397
- point spread function, 232–233

- point vortex, 351
- poly-capillary optic, 192
- polynomial vortex, 347–350, 355–356
- ponderomotive potential, 148n
- population inversion, 146
- powder diffraction, 144–145
- principal value, Cauchy, 307–308
- prism, 195–198
- projection approximation, 71–77
  - Beer’s Law, 74
  - phase shift, 74–77
  - single-material scatterer, 74
- propagator, 8, 13, 39
- propagation induced vortices, 373–380
- proportional counter, 210
- pseudo-differential operator, 300
- pumping, 146–147, 151–152
  
- quadrant ambiguity, 314n
- quantum efficiency, 207
- quantum potential, 106n–107n
- quasi-monochromatic field, 30
  
- random process, 28–29
- random variable, 26–29
  - correlations, 27–28
  - ensemble average, 27
  - $n$ -point correlation function, 28
  - realization, 26
  - statistical stationarity, 28
  - two-point correlation function, 28
  - wide-sense statistical stationarity, 28
- Rayleigh scattering, 121
- Rayleigh–Sommerfeld theory, 23–25
  - diffraction integral of first kind, 24
  - diffraction integral of second kind, 25
  - for partially coherent fields, 54–56
  - relation to Kirchhoff theory, 25
- Rayleigh–Wood zone plate, 165–166
- realization, 26
- reciprocal lattice, 94, 170
- reciprocity theorem, 401–404
- reflection
  - from crystals
    - asymmetric, 175
    - symmetric, 175
  - from surfaces, 186–191
    - critical angle, 189–191
    - total external reflection, 190, 193–194
- reflectivity, 176
- refractive index, 70, 73
  - complex refractive index, 73
  - often close to unity, 114
  - relation to electron density, 108–114
- refractive lens, 198–202
- rest-mass energy, 116
  
- Riemann–Lebesgue lemma, 307n
- rocking curve, 175–176, 274
- rotating-anode X-ray source, 138–139
- Rytov approximation, 97
  
- SASE, 149
- scalar electromagnetic field
  - transition from vector theory, 4–5
- scaling theorem, Fresnel, 397–400
- scattering amplitude, 88
- Schrödinger equation, 6n, 87n, 106n–107n, 254, 292n
- Schwarzschild mirror, 193
- scintillator, 211
- screw dislocations, crystal, 93
- second Born approximation, 98–99
- second generation synchrotron, 141–142
- self-amplified spontaneous emission, 149
- self imaging, 240–253
  - Bessel beam, 252
  - diffraction-free beam, 250–252
  - Montgomery self imaging, 241, 249–253
  - Talbot effect, 241–249, 322
- shape function, crystal, 93
- shell, atomic, 120
- shift-invariant linear system, 233–237
- shift theorem, 395
- SI units, 2
- sifting property of Dirac delta, 396
- simple closed curve, 304n, 343
- single-scattering approximation
  - see* first Born approximation
- singularity hierarchy, 386
- slice theorem, 124–125
- Snell’s Law, 186–188
- soft X-ray laser, 151–152
- spatial coherence, 30–36
  - see also* partially coherent fields
- speckle, 215, 346, 375, 377–380, 386
- spectral brightness, 137
- spectral decomposition, 5–6, 69
- spectrometer
  - grating, 157–158
- speed of light
  - in terms of  $\mu_0$  and  $\epsilon_0$ , 4
- spherical aberration, 237
- spiral phase mask, 370–373
- spontaneous emission, 145–149
- spontaneous vortex formation, 373–380
- square-channel array, 192–193
- stability of vortices, 353–354
- stacking fault, crystal, 93
- statistical stationarity, 28–29
- stimulated emission, 145–147
- storage ring, 141
- streamline, 71n, 104–105

- summation back-projection, 124
- support, 293
- swallowtail caustic, 384
- symmetric reflection, 175
- synchrotron radiation
  - beamlike nature, 140, 141
  - beamline, 144
  - bending magnet, 141–142
  - critical wavelength, 140n
  - definition, 139
  - early research, 139–141
  - first generation source, 141
  - first observation, 140
  - second generation source, 141–142
  - storage rings, 141
  - third generation source, 142–145
  - three generations, 141–145
  - undulator, 142–144
  - wiggler, 142–144
- Système-Internationale units, 2
- Talbot effect, 241–249, 322
- temporal coherence, 36–37
  - see also* partially coherent fields
- third generation synchrotron, 142–145
- Thomson scattering, 109–110
- tomography
  - computed, 124, 127n
  - diffraction, 126n–127n
- total external reflection, 190, 193–194
- transfer function, 234–237
- transport-of-intensity equation, 295–301
- transverse Laplacian, 72
- twin image problem, 257
- twins, crystal, 93
- uncertainty principle, 207n
- undulator, 142–144
- uniformly redundant array, 322
- unit cell, crystal, 93–94
- vacancy, crystal, 93
- vacuum, as optical element, 185–186
- van Cittert–Zernike theorem, 58–59
- virtual optics, 203–205, 322–327
- visibility of interference fringes, 34
  - and mutual coherence function, 44
- von Laue back-reflection method, 126n
- von Laue diffraction condition, 96, 170
  - and Bragg Law, 172
  - and harmonic contamination, 178
- vortex–caustic duality, 387
- vortices, 342, 346–380
  - core, 346–347
  - current vector, 350
  - dynamics, 351–356
  - critical-point explosion, 354
  - interaction with background, 354–356
  - nucleation and annihilation, 351–352
  - stability and decay, 353–354
- generation, experimental
  - holography, 363–370
  - spiral phase mask, 370–373
  - spontaneous, 373–380
  - three plane waves, 357–363
- helical phase, 346–347
- polynomial, 347–350, 355–356
- relation to nodal lines, 346–347
- wave equation, 3
  - for electric field in free space, 3–4, 68
  - for magnetic field in free space, 3–4, 68
- wave-function, 5n
- wave–particle duality, 387
- well posed inverse problem, 290
- Wentzel–Kramers–Brillouin method, 74n
- Weyl expansion, 25, 89–90
- wide-sense statistical stationarity, 28
- wiggler, 142–144
- Wigner distribution, 137n
- WKB method, 74n
- Wolter mirror, 193
- XANES, 122
- X-ray laser, 151–152
- X-ray absorption near-edge structure, 122
- Young’s experiment, 15
  - coherence measurement using, 315–318
  - fringe visibility, 34–37, 317–318
  - and mutual coherence function, 37–46
  - and spatial coherence, 30–36
- zone plate, 160–169
  - achromatic, 166–168
  - blazed, 166
  - Bragg–Fresnel optic, 183–185
  - circular diffraction grating, 160–161
  - efficiency, 165–166
  - focal-plane intensity, tailored, 169
  - Fresnel lens, 166n
  - Fresnel zones, 165n
  - holographic diffraction grating, 161–165
  - kiniform, 166
  - multi-level, 166–167
  - photon sieve, 169
  - Rayleigh–Wood, 165–166
- Zernike phase contrast, 263–267