

the**facts**

Stroke



also available in **thefacts** series

Eating disorders: thefacts

FIFTH EDITION

Abraham

Sexually transmitted infections:

thefacts

SECOND EDITION

Barlow

Thyroid disease: thefacts

FOURTH EDITION

Vanderpump and Tunbridge

Living with a long-term illness:

thefacts

Campling

Prenatal tests: thefacts

DeCrespigny

Obsessive-compulsive disorder:

thefacts

THIRD EDITION

De Silva

**The pill and other forms of
hormonal contraception: thefacts**

SIXTH EDITION

Guillebaud

Myotonic dystrophy: thefacts

Harper

Ankylosing spondylitis: thefacts

Khan

Prostate cancer: thefacts

Mason

Multiple sclerosis: thefacts

FOURTH EDITION

Matthews

Essential tremor: thefacts

Plumb

Panic disorder: thefacts

SECOND EDITION

Rachman

Tourette syndrome: thefacts

Robertson

Adhd: thefacts

Selikowitz

**Dyslexia and other learning
difficulties: thefacts**

SECOND EDITION

Selikowitz

Schizophrenia: thefacts

SECOND EDITION

Tsuang

Depression: thefacts

Wassermann

**Polycystic ovary syndrome:
thefacts**

Elsheikh and Murphy

Autism and Asperger syndrome:

thefacts

Baron-Cohen

Motor neuron disease: thefacts

Talbot and Marsden

Lupus: thefacts

SECOND EDITION

Isenberg and Manzi

Muscular Dystrophy: thefacts

THIRD EDITION

Emery

Osteoarthritis: thefacts

Arden, Arden, and Hunter

Cosmetic surgery: thefacts

Waterhouse

thefacts

Stroke

RICHARD I. LINDLEY

Professor of Geriatric Medicine
Moran Foundation for Older Australians
University of Sydney
Australia

OXFORD
UNIVERSITY PRESS

OXFORD

UNIVERSITY PRESS

Great Clarendon Street, Oxford OX2 6DP

Oxford University Press is a department of the University of Oxford.

It furthers the University's objective of excellence in research, scholarship,
and education by publishing worldwide in

Oxford New York

Auckland Cape Town Dar es Salaam Hong Kong Karachi

Kuala Lumpur Madrid Melbourne Mexico City Nairobi

New Delhi Shanghai Taipei Toronto

With offices in

Argentina Austria Brazil Chile Czech Republic France Greece

Guatemala Hungary Italy Japan Poland Portugal Singapore

South Korea Switzerland Thailand Turkey Ukraine Vietnam

Oxford is a registered trade mark of Oxford University Press
in the UK and in certain other countries

Published in the United States

by Oxford University Press Inc., New York

© Oxford University Press, 2008

The moral rights of the author have been asserted

Database right Oxford University Press (maker)

First edition published 2008

All rights reserved. No part of this publication may be reproduced,
stored in a retrieval system, or transmitted, in any form or by any means,
without the prior permission in writing of Oxford University Press,
or as expressly permitted by law, or under terms agreed with the appropriate
reprographics rights organization. Enquiries concerning reproduction
outside the scope of the above should be sent to the Rights Department,
Oxford University Press, at the address above

You must not circulate this book in any other binding or cover
and you must impose this same condition on any acquirer

British Library Cataloguing in Publication Data

Data available

Library of Congress Cataloguing in Publication Data

Data available

ISBN 978-0-19-921272-9 (Pbk.)

10 9 8 7 6 5 4 3 2 1

Typeset in Plantin

by Cepha Imaging Pvt. Ltd., Bangalore, India

Printed in Great Britain

on acid-free paper by

Ashford Colour Press, Gosport, Hampshire

While every effort has been to ensure that the contents of this book are as complete, accurate
and up-to-date as possible at the date of writing, Oxford University Press is not able to give
any guarantee or assurance that such is the case. Readers are urged to take appropriately
qualified medical advice in all cases. The information in this book is intended to be useful to
the general reader, but should not be used as a means of self-diagnosis or for the prescription of
medication. The authors and the publishers do not accept responsibility or legal liability for any
errors in the text or for the misuse or misapplication of material in this book.

This book is dedicated to PAC

Contents

Acknowledgements	ix
1 What is stroke?	1
2 How common is stroke?	11
3 Who gets strokes?	19
4 The causes of stroke	35
5 What can be done for people who have a stroke?	47
6 Rehabilitation after stroke	67
7 Living after stroke	95
8 How do you prevent stroke?	105
Glossary	123
Appendix	127
Index	129

Acknowledgements

I would like to thank my colleagues at the University of Sydney and Sydney West Area Health Service who granted me a 2-month sabbatical in order to write this book, and my fellow geriatricians at Westmead Hospital who covered my clinical work during my absence. Many people contributed to the success of my sabbatical, including Surat Boonyakarnkul and his colleagues at the Thai Stroke Society, Derick Wade, Alastair Buchan, Peter Rothwell, Veronica Murray, Bent Indredavik, Peter Sandercock, Joanna Wardlaw, Charles Warlow, Martin Dennis, Jane Collier, Ian Jordan, Mark Cousins, Rohan Grimley, Genevieve Freys, Paul Chmielnik, and my parents. My current post at the University of Sydney is supported by the Moran Foundation for Older Australians and an infrastructure grant from NSW Health.

Richard I. Lindley

Sydney 2007

Index

A

- activities of daily living (ADLs) 88–9
 - see also* rehabilitation
- admission to stroke unit 63–4
- aetiology *see* causes of stroke
- age groups, incidence of stroke 16(*tab*)
- agraphia 74
- alcohol 30–1
 - Australian National Health and Medical Research Council 31
 - recommended alcohol limits 31
- alexia 74
- anticoagulation 63, 114
- antithrombotic treatment
 - in absence of atrial fibrillation 115–16
 - secondary prevention 114
- aphasia 73–4, 89
 - definition 71
 - global/nominal aphasia 74
 - occupational therapy 89
- apoplexy, definition 8
- appendix, useful websites* 127–8
- apraxias 74
- aspirin, secondary prevention 115–17
- assessment 47–57, 65
 - brain scan 47
 - Face—Arm—Speech Test (FAST) 47, 51(*fig*), 53
 - importance of blood supply to brain 50, 52(*fig*)
 - is it a stroke? 53–4, 54(*fig*), 79
 - ischaemic stroke vs primary intracerebral haemorrhage 55
 - brain scan by CT or MRI 55, 56(*tab*), 57(*fig*), 58(*fig*)

- recognising stroke quickly 48–50
- ‘time is brain’ 50

- atheromatous disease 36–8, 37(*fig*)
- atrial fibrillation 23–5, 25(*tab*), 115–16

B

- Benedikt’s syndrome 77
- blood pressure 21–5
- blood pressure measurement 22, 22–3
- blood pressure reduction 108–11
 - non-pharmacological methods 111–12
 - population strategy 108–11, 109(*fig*)
 - salt intake 110
 - secondary prevention 113–14
- blood thinning medication, secondary prevention 115–17
- Bobath method, physiotherapy 82–4
- brain attack, new term for TIA and stroke 7–8
- brain infarction
 - cerebral autosomal dominant arteriopathy with subcortical infarcts (CADASIL) 42
 - haemorrhagic transformation 9
 - inherited causes 42
 - lacunar infarction 74–6
 - partial anterior circulation infarcts (PACI) 73–4
 - posterior circulation infarct (POCI) 76–7
 - total anterior circulation infarct (TACI) 70–1, 73–6
 - with transient signs 8
 - brain scan 47
 - CT or MRI 55, 56(*tab*), 57(*fig*), 58(*fig*)

brain structure 68–70, 69 (*fig*)

Broca's aphasia 73–4

C

cardio-embolic disease 38–9, 38 (*fig*), 39 (*tab*)

carotid stenosis 28–9

carotid stenosis/carotid syphon disease 36

carotid surgical interventions 119–21

causes of stroke 4, 35–45

atheromatous disease 36–8

carotid stenosis/syphon disease 36

in children 42–3, 43 (*tab*)

embolic disease 38–9, 38 (*fig*)

high blood pressure 21–5

inherited causes 42

large vessel disease 35–8

patent foramen ovale (PFO) 44–5, 48

pregnancy 44

primary intracerebral haemorrhage

(haemorrhagic stroke) 40

rules to follow to prove causation 21

small vessel disease 39–40

venous sinus thrombosis 44, 45 (*fig*)

in young adults 43

other causes 40–1, 41 (*tab*)

cerebral autosomal dominant arteriopathy

with subcortical infarcts (CADASIL) 42

cerebral haemorrhage *see* primary

intracerebral haemorrhage (PICH,

haemorrhagic stroke)

cerebral infarction with transient signs

(CITS), definition 8

cerebrovascular accident 5, 8

children, causes of stroke 42–3, 43 (*tab*)

cholesterol 26–8

associations with stroke 27

enzyme action 26

food and exercise 26–7

lipoproteins 26

cholesterol lowering, secondary

prevention 117–18

Churchill, Winston 1

cigarette smoking 23

mortality of doctors study 24 (*fig*)

clinical psychology 90–1

clopidogrel, secondary prevention 116

Cochrane Library, randomised controlled

trials (RCTs) 60–1

cognitive problems and interventions 99–101

D

deaths, top ten causes 12 (*tab*)

definitions 5–9

apoplexy 8

cerebrovascular accident 8

CITS (cerebral infarction with transient signs) 8

haemorrhagic stroke 8–9

RIND (reversible ischaemic neurological deficit) 8

transient ischaemic attack (TIA) 5–7

brain attack, new term for TIA and stroke 7–8

depression 97–8

diabetes mellitus 26

dietary modification 88, 91

dipyridamole, secondary prevention 116

discharge planning 92–3

drugs, recreational use 31–2

dysaesthesia 99

dysphasia, definition 71

E

ecstasy case study 32

embolic disease 38–9, 38 (*fig*)

emergency treatment 50–3, 55

epidemiology *see* incidence of stroke

epidemiology, definition 20

exercise, lack of 29–30

F

Face—Arm—Speech Test (FAST) 47, 51 (*fig*), 53

factor VII and vitamin K treatment 63

family, rehabilitation after stroke 91

fatigue 97

fibrinogen 31

focal neurological signs 5–6

G

gender 32

glossary of terms 123–6

H

haematoma (blood clot) 8, 63

haemorrhagic stroke *see* primary

intracerebral haemorrhage (PICH, haemorrhagic stroke)

haemorrhagic transformation of infarction 9

- hemianopia 5–6
- hemiparesis 5–6
- high blood pressure 21–2
- Hippocrates 4–5
- historical aspects 1–5
 - changing names for stroke 4–5
- hormone replacement therapy (HRT) 32–3
- Horner's syndrome, ipsilateral 77
- hypertension 21–5

- I
- identification of stroke 53–4, 54 (*fig*), 78–9
- incidence of stroke 11–17
 - age groups 16 (*tab*)
 - outcome of stroke 16
 - prevalence of stroke 15–16
 - worldwide incidence 13–15 (*tab*)
- incontinence 96–7
- infarction *see* brain infarction
- inherited causes of stroke, CADASIL 42
- intra-arterial and interventional
 - treatment 59–61
- intracerebral haemorrhage *see* primary intracerebral haemorrhage (PICH, haemorrhagic stroke)
- intracranial haemorrhage 8
- ischaemic stroke 35–8, 38 (*fig*), 70
 - aortic atheromatous disease 36–8
 - atheroma 37 (*fig*)
 - carotid stenosis 36
 - carotid syphon disease 36
 - large vessel disease 35–8
 - vs primary intracerebral haemorrhage 55
 - secondary prevention 114
 - treatment 55–61, 57 (*fig*)

- J
- Johnston, Samuel 2–3

- L
- lacunar infarction 74–6
- language, functional requirements of brain 72
- large vessel disease 35–8
- lifestyle risks 20–1
 - Papua New Guinea 20
- living after stroke 95–104
 - activities of daily living (ADLs) 88–9
 - common early problems 95–8
 - depression 97–8

- incontinence 96–7
 - swallowing difficulty (dysphasia) 95–6
 - tiredness 97
- common later problems 98–102
 - central pain 98–9
 - alternative names 99
 - dysaesthesia 99
 - memory and cognitive problems 99–101
 - sexual function 101–2
 - spasticity 103–4
 - support after stroke 102–4

- M
- malignant middle cerebral artery syndrome 77
- medical care 84–6, 85 (*tab*)
- medication 91
 - used in secondary prevention 113–18
- memory and cognitive problems 99–101
 - interventions 100–1
- middle cerebral artery syndrome 77
- mimics of stroke 54, 54 (*fig*)
- movement science (motor relearning) 83–4

- N
- nursing 86–7

- O
- obesity 29
- occupational therapy 88–90
 - activities of daily living (ADLs) 88–9
- outcome of stroke 16
- Oxfordshire Community Stroke Project (OCSP) classification 70

- P
- pain, central pain 98–9
- paralysis
 - hemiparesis 5–6
 - Horner's syndrome 77
- partial anterior circulation infarcts (PACI) 73–4
- patent foramen ovale (PFO) 44–5, 48
- physiotherapy
 - Bobath method 82–4
 - movement science (motor relearning) 83–4
 - Norway results 83

posterior circulation infarct (POCI) 76–7
 Benedikt's syndrome 77
 Horner's syndrome 77
 lateral medullary syndrome of Wallenburg 77
 Weber's syndrome 77
 pregnancy 44
 prevalence of stroke 15–16
 prevention measures 105–21
 blood pressure reduction 108–11
 carotid intervention 119–21
 cigarette smoking reduction 112
 secondary prevention 113–18
 antithrombotic treatment 114
 aspirin 115–17
 blood pressure reduction 113–14
 blood thinning medication 115–17
 cholesterol lowering 117–18
 clopidogrel 116
 dipyridamole 116
 ischaemic stroke 114
 Warfarin 114–15
 vascular disease
 high-risk asymptomatic people 112–13
 low-risk asymptomatic people 108–11
 primary intracerebral haemorrhage (PICH, haemorrhagic stroke) 8–9, 40
 admission to stroke unit 63–4
 anticoagulation 63
 definition 8–9
 symptoms 78
 treatment 62–5

Q

quality of life *see* living after stroke

R

randomised controlled trials (RCTs) 59–61
 rarer causes of stroke 30(*tab*)
 recognizing stroke *see* assessment
 recreational drug use 31–2
 rehabilitation after stroke 67–93
 aphasia and dysphasia definitions 71
 clinical psychology 90–1
 dietary modification after stroke 88
 dietetics 91
 discharge planning 92–3
 family 91

language, functional requirements of brain 72
 medical care 84–6, 85(*tab*)
 nursing 86–7
 occupational therapy 88–90
 partial anterior circulation infarcts (PACI) 73–4
 physiotherapy 82–4
 recovery improvements by new techniques 81–2
 social work 90
 speech therapy/speech pathology 87
 stroke impairment 68–79
 successful stroke rehabilitation 80–1
 team work 92
 total anterior circulation infarct (TACI) 70–1
 WHO International Classification of Function 67, 68(*fig*)
 risk factors for stroke 19–34
 interactions 28(*fig*)
see also causes of stroke

S

salt intake, and blood pressure reduction 110
 secondary prevention *see* prevention
 sexual function after stroke 101–2
 Sharon, Ariel (prime minister of Israel) 1–2
 small vessel disease 39–40
 smoking, reduction 112
 social work 90
 spasticity 103–4
 speech therapy/speech pathology 87
 stroke, treatment *see* assessment; treatment
 stroke impairment 68–79
 agraphia 74
 alexia 74
 aphasias 73–4
 apraxias 74
 brain structure 68–70, 69(*fig*)
 Broca's aphasia 73–4
 conduction aphasia 74
 global aphasia 74
 hemiparesis 5–6, 77
 identification of stroke 78–9
 ischaemic stroke 70
 lacunar infarction 74–6
 nominal aphasia 74

- stroke impairment (*cont.*)
- Oxfordshire Community Stroke Project (OCSP) classification 70
 - PACI and TACI strokes 73–6
 - PICH symptoms 78
 - posterior circulation infarct (POCI) 76–7
 - Wernicke's aphasia 73
- stroke unit care 47, 63–4, 79
- subarachnoid haemorrhage 6, 8–9
- subdural haematoma 8
- support after stroke 102–4
- swallowing difficulty (dysphagia) 95–6
- symptoms/features 5–6, 78
- see also* stroke impairment
- T
- thrombolysis 55, 59
- tiredness 97
- total anterior circulation infarct (TACI) 70–6
- transient ischaemic attack (TIA), definition 5–7
- treatment 47–66
- admission to stroke unit 63–4
 - assessment 47–57, 65
 - care at home 52
 - emergency treatment 50–3, 55
 - interventions for cognitive problems 100–1
 - ischaemic stroke 55–61, 57 (*fig*)
 - intra-arterial and interventional treatment 59–61
 - randomised controlled trials (RCTs) 59–61
 - surgical treatment 61
 - thrombolysis 55, 59
- primary intracerebral haemorrhage (PICH) (haemorrhagic stroke) 62–5
- anticoagulation 63
 - indications for surgical evacuation of haematoma 63
 - stroke unit care 47, 63–4, 79
 - time factor 50
- treatment problems (iatrogenic disease) 32–3
- V
- vascular disease 28, 107–13
- in high-risk asymptomatic people 112–13
 - in low-risk asymptomatic people 108–11
- venous sinus thrombosis 44, 45 (*fig*)
- visual loss 5–6
- W
- Wallenburg, lateral medullary syndrome 77
- Warfarin 114–15
- contraindications 115
- Weber's syndrome 77
- websites* 127–8
- World Health Organization International Classification of Function 67, 68 (*fig*)
- worldwide incidence of stroke 13–15 (*tab*)

