

---

## Appendix 7.1

---

- [1] Agegian, C.R. (1985). *The biogeochemical ecology of Porolithon gardineri* (foslie). PhD thesis. University of Hawaii, Honolulu, HI.
- [2] Albright, R., Mason, B., and Langdon, C. (2008). Effect of aragonite saturation state on settlement and post-settlement growth of *Porites asteroides* larvae. *Coral Reefs*, **27**, 485–90.
- [3] Anthony, K.R.N., Kline, D.I., Diaz-Pulido, G., Dove, S., and Hoegh-Guldberg, O. (2008). Ocean acidification causes bleaching and productivity loss in coral reef builders. *Proceedings of the National Academy of Sciences USA*, **105**, 17442–6.
- [4] Arnold K.E., Findlay H.S., Spicer J.I., Daniels C.L., and Boothroyd D., (2009). Effect of CO<sub>2</sub>-related acidification on aspects of the larval development of the European lobster, *Homarus gammarus* (L.). *Biogeosciences*, **6**, 1747–54.
- [5] Batten, S.D. and Bamber, R.N. (1996). The effects of acidified seawater on the polychaete *Nereis virens* sars, 1835. *Marine Pollution Bulletin*, **32**, 283–7.
- [6] Berge, J.A., Bjerkeng, B., Pettersen, O., Schaanning, M.T., and Øxnevad, S. (2006). Effects of increased sea water concentrations of CO<sub>2</sub> on growth of the bivalve *Mytilus edulis* L. *Chemosphere*, **62**, 681–7.
- [7] Bibby, R., Widdicombe, S., Parry, H., Spicer, J., and Pipe R. (2008). Effects of ocean acidification on the immune response of the blue mussel *Mytilus edulis*. *Aquatic Biology*, **2**, 67–74.
- [8] Borowitzka, M.A. and Larkum, A.W.D. (1976). Calcification in the green alga *Halimeda*. 3. The sources of inorganic carbon for photosynthesis and calcification and a model of the mechanism of calcification. *Journal of Experimental Botany*, **27**, 879–93.
- [9] Byrne, M., Soars, N.A., Ho, M.A. *et al.* (2010). Fertilization in a suite of coastal marine invertebrates from SE Australia is robust to near-future ocean warming and acidification. *Marine Biology*, **157**, 2061–9.
- [10] Byrne M., Soars N., Selvakumaraswamy, P., Dworjanyn S.A., and Davis A.R. (2010). Sea urchin fertilization in a warm, acidified and high pCO<sub>2</sub> ocean across a range of sperm densities. *Marine Environmental Research*, **69**, 234–9.
- [11] Clark, D., Lamare, M., and Barker, M. (2009). Response of sea urchin pluteus larvae (Echinodermata: Echinoidea) to reduced seawater pH: a comparison among a tropical, temperate, and a polar species. *Marine Biology*, **156**, 1125–37.
- [12] Cohen, A.L., McCorkle, D.C., de Putron, S., Gaetani, G.A., and Rose, K.A. (2009). Morphological and compositional changes in the skeletons of new coral recruits reared in acidified seawater: insights into the biomineralization response to ocean acidification. *Geochemistry, Geophysics, Geosystems*, **10**, Q07005, doi:10.1029/2009GC002411.
- [13] Connell, S.D. and Russell, B.D. (2010). The direct effects of increasing CO<sub>2</sub> and temperature on non-calcifying organisms: increasing the potential for phase shifts in kelp forests. *Proceedings of the Royal Society B: Biological Sciences*, **277**, 1409–15.
- [14] Crawley, A., Kline, D., Dunn, S., Anthony, K., and Dove, S. (2009). The effect of ocean acidification on symbiont photorespiration and productivity in *Acropora Formosa*. *Global Change Biology*, **16**, 851–63.
- [15] Dupont, S., Havenhand, J., Thorndyke, W., Peck, L., and Thorndyke, M. (2008). Near-future level of CO<sub>2</sub>-driven ocean acidification radically affects larval survival and development in the brittlestar *Ophiotrix fragilis*. *Marine Ecology Progress Series*, **373**, 285–94.
- [16] Dupont S., Lundve B., and Thorndyke, M. (2010). Near future ocean acidification increases growth rate of the lecithotrophic larvae and juveniles of the sea star *Crossaster papposus*. *Journal of Experimental Zoology (Molecular and Developmental Evolution)*, **314B**, 382–9.

- [17] Findlay, H.S., Kendall, M.A., Spicer, J.I., and Widdicombe, S. (2009). Future high CO<sub>2</sub> in the intertidal may compromise adult barnacle *Semibalanus balanoides* survival and embryonic development rate. *Marine Ecology Progress Series*, **389**, 193–202.
- [18] Findlay, H.S., Kendall, M.A., Spicer, J.I., and Widdicombe, S. (2010). Relative influences of ocean acidification and temperature on intertidal barnacle post-larvae at the northern edge of their geographic distribution. *Estuarine, Coastal and Shelf Science*, **86**, 675–82.
- [19] Fine, M. and Tchernov, D. (2007). Scleractinian coral species survive and recover from decalcification. *Science*, **315**, 1811.
- [20] Gao, K. and Zheng, Y. (2010). Combined effects of ocean acidification and solar UV radiation on photosynthesis, growth, pigmentation and calcification of the coralline alga *Corallina sessilis* (Rhodophyta). *Global Change Biology*, **16**, 2388–98.
- [21] Gattuso, J.-P., Frankignoulle, M., Bourge, I., Romaine, S., and Buddemeier, R.W. (1998). Effect of calcium carbonate saturation of seawater on coral calcification. *Global and Planetary Change*, **18**, 37–46.
- [22] Gazeau, F., Quiblier, C., Jansen, J.M., Gattuso, J.-P., Middelburg, J.J., and Heip, C.H.R. (2007). Impact of elevated CO<sub>2</sub> on shellfish calcification. *Geophysical Research Letters*, **34**, L07603, doi:10.1029/2006GL028554.
- [23] Gooding, R.A., Harley, C.D.G., and Tang, E. (2009). Elevated water temperature and carbon dioxide concentration increase the growth of a keystone echinoderm. *Proceedings of the National Academy of Sciences USA*, **106**, 9316–21.
- [24] Green, M.A., Aller, R.C., and Aller, J.Y. (1998). Influence of carbonate dissolution on survival of shell-bearing meiobenthos in nearshore sediments. *Limnology and Oceanography*, **43**, 18–28.
- [25] Green, M.A., Jones, M.E., Boudreau, C.L., Moore, R.L., and Westman, B.A. (2004). Dissolution mortality of juvenile bivalves in coastal marine deposits. *Limnology and Oceanography*, **49**, 727–34.
- [26] Green, M.A., Waldbusser, G.G., Reilly, S.L., Emerson, K., and O'Donnell, S. (2009). Death by dissolution: sediment saturation state as a mortality factor for juvenile bivalves. *Limnology and Oceanography*, **54**, 1037–47.
- [27] Hall-Spencer, J.M., Rodolfo-Metalpa, R., Martin, S. et al. (2008). Volcanic carbon dioxide vents show ecosystem effects of ocean acidification. *Nature*, **454**, 96–9.
- [28] Havenhand, J.N. and Schlegel, P. (2009). Near-future levels of ocean acidification do not affect sperm motility and fertilization kinetics in the oyster *Crassostrea gigas*. *Biogeosciences*, **6**, 3009–15.
- [29] Havenhand, J.N., Buttler, F., Thorndyke, M.C., and Williamson, J.E. (2008). Near-future levels of ocean acidification reduce fertilization success in a sea urchin. *Current Biology*, **18**, R651–R652.
- [30] Hossain, M.M.M. and Ohde, S. (2006). Calcification of cultured *Porites* and *Fungia* under different aragonite saturation states of seawater at 25°C. In: Y. Suzuki, T. Nakamori, M. Hidaka et al. (eds), *Proceedings of 10th International Coral Reef Symposium, Okinawa, Japan. June 28–July 2, 2004*, pp. 597–606. Japanese Coral Reef Society, Tokyo.
- [31] Holcomb, M., McCorkle, D.C., and Cohen, A.L. (2010). Long-term effects of nutrient and CO<sub>2</sub> enrichment on the temperate coral *Astrangia poculata* (Ellis and Solander, 1786). *Journal of Experimental Marine Biology and Ecology*, **386**, 27–33.
- [32] Invers, O., Romero, J., and Pérez, M. (1997). Effects of pH on seagrass photosynthesis: a laboratory and field assessment. *Aquatic Botany*, **59**, 185–94.
- [33] Jokiel, P.L., Rodgers, K.S., Kuffner, I.B., Andersson, A.J., Cox, E.F., and Mackenzie, F.T. (2008). Ocean acidification and calcifying reef organisms: a mesocosm investigation. *Coral Reefs*, **27**, 473–83.
- [34] Jury, C.P., Whitehead, R.F., and Szmant, A.M. (2010). Effects of variations in carbonate chemistry on the calcification rates of *Madracis auretenra* (= *Madracis mirabilis* sensu Wells, 1973): bicarbonate concentrations best predict calcification rates. *Global Change Biology*, **16**, 1632–44.
- [35] Kübler, J.E., Johnston, A.M., and Raven, J.A. (1999). The effects of reduced and elevated CO<sub>2</sub> and O<sub>2</sub> on the seaweed *Lomentaria articulata*. *Plant, Cell and Environment*, **22**, 1303–10.
- [36] Kuffner, I.B., Andersson, A.J., Jokiel, P., Rodgers, K.S., and Mackenzie, F.T. (2008). Decreased abundance of crustose coralline algae due to ocean acidification. *Nature Geosciences*, **1**, 114–17.
- [37] Kurihara, H. (2008). Effects of CO<sub>2</sub>-driven ocean acidification on the early developmental stages of invertebrates. *Marine Ecology Progress Series*, **373**, 275–84.
- [38] Kurihara, H. and Shirayama, Y. (2004). Effects of increased atmospheric CO<sub>2</sub> on sea urchin early development. *Marine Ecology Progress Series*, **274**, 161–9.
- [39] Kurihara, H., Kato, S., and Ishimatsu, A. (2007). Effects of increased seawater pCO<sub>2</sub> on early development of the oyster *Crassostrea gigas*. *Aquatic Biology*, **1**, 91–8.
- [40] Kurihara, H., Asai, T., Kato, S., and Ishimatsu, A. (2008). Effects of elevated pCO<sub>2</sub> on early development in the mussel *Mytilus galloprovincialis*. *Aquatic Biology*, **4**, 225–33.

- [41] Kuroyanagi, A., Kawahata, H., Suzuki, A., Fujita, K., and Irie, T. (2009). Impacts of ocean acidification on large benthic foraminifers: results from laboratory experiments. *Marine Micropaleontology*, **73**, 190–5.
- [42] Mackenzie, F.T. and Agegian, C.R. (1989). Biomineralization and tentative links to plate tectonics. In: R.E. Crick (ed.), *Origin, evolution, and modern aspects of biomineralization in plants and animals*, pp. 11–27. Plenum Press, New York.
- [43] Maier, C., Hegeman, J., Weinbauer, M.G., and Gattuso, J.-P. (2009). Calcification of the cold-water coral *Lophelia pertusa* under ambient and reduced pH. *Biogeosciences*, **6**, 1671–80.
- [44] Marshall, A.T. and Clode, P.L. (2002). Effect of increased calcium concentration in sea water on calcification and photosynthesis in the scleractinian coral *Galaxea fascicularis*. *Journal of Experimental Biology*, **205**, 2107–13.
- [45] Martin, S. and Gattuso, J.-P. (2009). Response of Mediterranean coralline algae to ocean acidification and elevated temperature. *Global Change Biology*, **15**, 2089–100.
- [46] Martin, S., Rodolfo-Metalpa, R., Ransome, E. et al. (2008). Effects of naturally acidified seawater on sea-grass calcareous epibionts. *Biology Letters*, **4**, 689–92.
- [47] Marubini, F. and Atkinson, M.J. (1999). Effects of lowered pH and elevated nitrate on coral calcification. *Marine Ecology Progress Series*, **188**, 117–21.
- [48] Marubini, F. and Thake, B. (1999). Bicarbonate addition promotes coral growth. *Limnology and Oceanography*, **44**, 716–20.
- [49] Marubini, F., Barnett, H., Langdon, C., and Atkinson, M.J. (2001). Dependence of calcification on light and carbonate ion concentration for the hermatypic coral *Porites compressa*. *Marine Ecology Progress Series*, **220**, 153–62.
- [50] Marubini, F., Ferrier-Pagés, C., and Cuif, J.-P. (2003). Suppression of skeletal growth in scleractinian corals by decreasing ambient carbonate-ion concentration: a cross-family comparison. *Proceedings of the Royal Society B: Biological Sciences*, **270**, 179–84.
- [51] Marubini, F., Ferrier-Pagés, C., Furla, P., and Allemand, D. (2008). Coral calcification responds to seawater acidification: a working hypothesis towards a physiological mechanism. *Coral Reefs*, **27**, 491–9.
- [52] McDonald, M.R., McClintock, J.B., Amsler, C.D., Rittschof, D., Angus, R.A., Orihuela, B., and Lutostanski, K. (2009). Effects of ocean acidification over the life history of the barnacle *Amphibalanus amphitrite*. *Marine Ecology Progress Series*, **385**, 170–87.
- [53] Michaelidis, B., Ouzounis, C., Paleras, A., and Pörtner, H.O. (2005). Effects of long-term moderate hypercapnia on acid–base balance and growth rate in marine mussels *Mytilus galloprovincialis*. *Marine Ecology Progress Series*, **293**, 109–18.
- [54] Miller, A.W., Reynolds, A.C., Sobrino, C., and Riedel, G.F. (2009). Shellfish face uncertain future in high CO<sub>2</sub> world: influence of acidification on oyster larvae calcification and growth in estuaries. *PLoS ONE*, **4**, e5661.
- [55] Morita, M., Suwa, R., Iguchi, A., Nakamura, M., Shimada, K., Sakai, K., and Suzuki, A. (2009). Ocean acidification reduces sperm flagellar motility in broadcast spawning reef invertebrates. *Zygote*, **18**, 103–7.
- [56] Muehllehner, N. and Edmunds, P.J. (2009). Effects of ocean acidification and increased temperature on skeletal growth of two scleractinian corals, *Pocillopora meandrina* and *Porites rus*. *Proceedings of the 11th International Coral Reef Symposium, Ft. Lauderdale, Florida, 7–11 July 2008*, Vol. 1, pp. 57–61.
- [57] Nienhuis, S., Palmer, A.R., and Harley, C.D.G. (2010). Elevated CO<sub>2</sub> affects shell dissolution rate but not calcification rate in a marine snail. *Proceedings of the Royal Society of London B: Biological Sciences*, **277**, 2553–8.
- [58] O'Donnell, M.J., Hammond, L.M., and Hofmann, G.E. (2009). Predicted impact of ocean acidification on a marine invertebrate: elevated CO<sub>2</sub> alters response to thermal stress in sea urchin larvae. *Marine Biology*, **156**, 439–46.
- [59] Ohde, S. and Hossain, M.M.M. (2004). Effect of CaCO<sub>3</sub> (aragonite) saturation state of seawater on calcification of *Porites* coral. *Geochemical Journal*, **38**, 613–321.
- [60] Palacios, S.L. and Zimmerman, R.C. (2007). Response of eelgrass *Zostera marina* to CO<sub>2</sub> enrichment: possible impacts of climate change and potential for remediation of coastal habitats. *Marine Ecology Progress Series*, **344**, 1–13.
- [61] Parker, L.M., Ross, P.M., and O'Connor, W.A. (2009). The effect of ocean acidification and temperature on the fertilization and embryonic development of the Sydney rock oyster *Saccostrea glomerata* (Gould 1850). *Global Change Biology*, **15**, 2123–36.
- [62] Renegar, D.A. and Riegl, B.M. (2005). Effect of nutrient enrichment and elevated CO<sub>2</sub> partial pressure on growth rate of Atlantic scleractinian coral *Acropora cervicornis*. *Marine Ecology Progress Series*, **293**, 69–76.
- [63] Reynaud, S., Leclercq, N., Romaine-Lioud, S., Ferrier-Pagés, C., Jaubert, J., and Gattuso, J.-P. (2003). Interacting effects of CO<sub>2</sub> partial pressure and temperature on photosynthesis and calcification in a scleractinian coral. *Global Change Biology*, **9**, 1660–8.
- [64] Ries, J.B., Cohen, A.L., and McCorkle, D.C. (2009). Marine calcifiers exhibit mixed responses to CO<sub>2</sub>-induced ocean acidification. *Geology*, **37**, 1131–4.

- [65] Robbins, L.L., Knorr, P.O., and Hallock, P. (2009). Response of *Halimeda* to ocean acidification: field and laboratory evidence. *Biogeosciences Discussion*, **6**, 4895–918.
- [66] Rodolfo-Metalpa, R. and Ferrier-Pagés, C. (2009). Physiological responses of Mediterranean corals to temperature and pH perturbations. *Comparative Biochemistry and Physiology Part A*, **153**, S168-S173.
- [67] Rodolfo-Metalpa, R., Martin, S., Ferrier-Pagés, C., and Gattuso, J.-P. (2010). Response of the temperate coral *Cladocora caespitosa* to mid- and long-term exposure to pCO<sub>2</sub> and temperature levels projected for the year 2100 AD. *Biogeosciences*, **7**, 289–300.
- [68] Russel, B.D., Thompson, J.-A.I., Falkenberg, L.J., and Connell, S.D. (2009). Synergistic effects of climate change and local stressors: CO<sub>2</sub> and nutrient-driven change in subtidal rocky habitats. *Global Change Biology*, **15**, 2153–62.
- [69] Schneider, K. and Erez, J. (2006). The effect of carbonate chemistry on calcification and photosynthesis in the hermatypic coral *Acropora eurystoma*. *Limnology and Oceanography*, **51**, 1284–93.
- [70] Semesi, I.S., Beer, S., and Björk, M. (2009). Seagrass photosynthesis controls rates of calcification and photosynthesis of calcareous macroalgae in a tropical seagrass meadow. *Marine Ecology Progress Series*, **382**, 41–7.
- [71] Semesi, I.S., Kangwe, K., and Björk, M. (2009). Alterations in seawater pH and CO<sub>2</sub> affect calcification and photosynthesis in the tropical coralline alga, *Hydrolithon* sp. (Rhodophyta). *Estuarine, Coastal and Shelf Science*, **84**, 337–41.
- [72] Shirayama, Y. and Thornton, H. (2005). Effect of increased atmospheric CO<sub>2</sub> on shallow water marine benthos. *Journal of Geophysical Research*, **110**, C09S08. doi:10.1029/2004JC002618.
- [73] Suwa, R., Nakamura, M., Morita, M., Shimada, K., Iguchi, A., Sakai, K., and Suzuki, A. (2010). Effects of acidified seawater on early life stages of scleractinian corals (Genus *Acropora*). *Fisheries Science*, **76**, 93–9.
- [74] Thomsen, J., Gutowska, M.A., Saphörster, J., Heinemann, A., Trübenbach, K., Fietzke, J., Hiebenthal, C., Eisenhauer, A., Körtzinger, A., Wahl, M., and Melzner, F. (2010). Calcifying invertebrates succeed in a naturally CO<sub>2</sub> enriched coastal habitat but are threatened by high levels of future acidification. *Biogeosciences Discussion*, **7**, 5119–56.
- [75] Todgham, A.E. and Hofmann, G.E. (2009). Transcriptomic response of sea urchin larvae *Strongylocentrotus purpuratus* to CO<sub>2</sub>-driven seawater acidification. *The Journal of Experimental Biology*, **212**, 2579–94.
- [76] Waldbusser, G.G., Voigt, E.P., Bergschneider, H., Green, M.A., and Newell, R.I.E. (2011). Biocalcification in the Eastern oyster (*Crassostrea virginica*) in relation to long-term trends in Chesapeake Bay pH. *Estuaries and Coasts*, **34**, 221–231.
- [77] Walther, K., Sartoris, F.J., Bock, C., and Pörtner, H.O. (2009). Impact of anthropogenic ocean acidification on thermal tolerance of the spider crab *Hyas araneus*. *Biogeosciences*, **6**, 2207–15.
- [78] Watson, S.-A., Southgate, P.C., Tyler, P.A., and Peck, L.S. (2009). Early larval development of the Sydney rock oyster *Saccostrea glomerata* under near-future predictions of CO<sub>2</sub>-driven ocean acidification. *Journal of Shellfish Research*, **28**, 431–7.
- [79] Wood, H.L., Spicer, J.I., Lowe, D.M., and Widdicombe, S. (2010). Interaction of ocean acidification and temperature: the high cost of survival in the brittlestar *Ophiura ophiura*. *Marine Biology*, **157**, 2001–13.
- [80] Zou, D. (2005) Effects of elevated atmospheric CO<sub>2</sub> on growth, photosynthesis and nitrogen metabolism in the economic brown seaweed, *Hizikia fusiforme* (Sargassaceae, Phaeophyta). *Aquaculture*, **250**, 726–35.